

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

Greatest Stretch

Greatest Stretch

Fold Along This Edge

Malibu Bottoms

Front Panel  
15 Degrees Anterior Tilt  
Cut 1 of Fabric & Lining  
(on Fold)

12% Horizontal Negative Ease  
Seam Allowance Shaded  
24 February 2026  
Stuart Anderson  
www.patternschool.online

Malibu Bottoms

Back Panel  
15 Degrees Anterior Tilt  
Cut 2 of Fabric & Lining  
(Mirrored)

12% Horizontal Negative Ease  
Seam Allowance Shaded  
24 February 2026  
Stuart Anderson  
www.patternschool.online




### Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **15 Degree Anterior Pelvic Tilt** pattern pieces ...

Back Panel  
Front Panel

Look at the sizing table and select your size based on your **Fulltest Hips** Measurement.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

#### Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

#### Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section to the front at the side seams and crotch. Repeat for lining. Place the fabric section inside the lining section, wrong sides together and pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

#### Coco Bandeau top

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly centre front (not including seam allowance), ending in a clean sharp vee. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to it's lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.






Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will buldge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar tack over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try it on to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

|               |    |    |    |    |    |    |    |    |     |       |       |       |     |       |       |       |     |       |
|---------------|----|----|----|----|----|----|----|----|-----|-------|-------|-------|-----|-------|-------|-------|-----|-------|
| Underbust     | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82  | 84    | 86    | 88    | 90  | 92    | 94    | 96    | 98  | 100   |
| Waist         | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76  | 78    | 80    | 82    | 84  | 86    | 88    | 90    | 92  | 94    |
| Fulltest Hips | 85 | 87 | 89 | 91 | 93 | 95 | 97 | 99 | 101 | 103.2 | 105.5 | 107.8 | 110 | 112.3 | 114.5 | 116.8 | 119 | 121.3 |




## Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **10 Degree Anterior Pelvic Tilt** pattern pieces ...

**Back Panel**  
**Front Panel**

Look at the sizing table and select your size based on your **Fulltest Hips** Measurement.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

### Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

#### Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section to the front at the side seams and crotch. Repeat for lining. Place the fabric section inside the lining section, wrong sides together and pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

#### Coco Bandeau top

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly centre front (not including seam allowance), ending in a clean sharp vee. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to its lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.






Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will buldge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar tack over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try it on to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

|               |    |    |    |    |    |    |    |    |     |       |       |       |     |       |       |       |     |       |
|---------------|----|----|----|----|----|----|----|----|-----|-------|-------|-------|-----|-------|-------|-------|-----|-------|
| Underbust     | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82  | 84    | 86    | 88    | 90  | 92    | 94    | 96    | 98  | 100   |
| Waist         | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76  | 78    | 80    | 82    | 84  | 86    | 88    | 90    | 92  | 94    |
| Fulltest Hips | 85 | 87 | 89 | 91 | 93 | 95 | 97 | 99 | 101 | 103.2 | 105.5 | 107.8 | 110 | 112.3 | 114.5 | 116.8 | 119 | 121.3 |



**Pattern Notes**

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

**Malibu Bottoms**

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section to the front at the side seams and crotch. Repeat for lining. Place the fabric section inside the lining section, wrong sides together and pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

**Coco Bandeau top**

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly centre front (not including seam allowance), ending in a clean sharp vee. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to its lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will buldge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar tack over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try it on to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>


**Coco / Malibu Beach Set**

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **5 Degree Anterior Pelvic Tilt** pattern pieces ...

**Back Panel**  
**Front Panel**


Look at the sizing table and select your size based on your **Fulllest Hips** Measurement.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

|               |    |    |    |    |    |    |    |    |     |       |       |       |     |       |       |       |     |       |
|---------------|----|----|----|----|----|----|----|----|-----|-------|-------|-------|-----|-------|-------|-------|-----|-------|
| Underbust     | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82  | 84    | 86    | 88    | 90  | 92    | 94    | 96    | 98  | 100   |
| Waist         | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76  | 78    | 80    | 82    | 84  | 86    | 88    | 90    | 92  | 94    |
| Fulllest Hips | 85 | 87 | 89 | 91 | 93 | 95 | 97 | 99 | 101 | 103.2 | 105.5 | 107.8 | 110 | 112.3 | 114.5 | 116.8 | 119 | 121.3 |



10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale




## Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **Neutral Pelvic Tilt** pattern pieces ...

**Back Panel**  
**Front Panel**

Look at the sizing table and select your size based on your **Fulltest Hips** Measurement.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

### Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvage to selvage. Check each panel lines up against its counterpart properly by checking the notches where present.

#### Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section to the front at the side seams and crotch. Repeat for lining. Place the fabric section inside the lining section, wrong sides together and pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

#### Coco Bandeau top

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly centre front (not including seam allowance), ending in a clean sharp vee. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to its lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.


Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will buldge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar tack over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try it on to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

|               |    |    |    |    |    |    |    |    |     |       |       |       |     |       |       |       |     |       |
|---------------|----|----|----|----|----|----|----|----|-----|-------|-------|-------|-----|-------|-------|-------|-----|-------|
| Underbust     | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82  | 84    | 86    | 88    | 90  | 92    | 94    | 96    | 98  | 100   |
| Waist         | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76  | 78    | 80    | 82    | 84  | 86    | 88    | 90    | 92  | 94    |
| Fulltest Hips | 85 | 87 | 89 | 91 | 93 | 95 | 97 | 99 | 101 | 103.2 | 105.5 | 107.8 | 110 | 112.3 | 114.5 | 116.8 | 119 | 121.3 |



**Pattern Notes**

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

**Malibu Bottoms**

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section to the front at the side seams and crotch. Repeat for lining. Place the fabric section inside the lining section, wrong sides together and pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

**Coco Bandeau top**

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly centre front (not including seam allowance), ending in a clean sharp vee. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to it's lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will buldge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar tack over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try it on to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026  
<https://www.patternschool.online>

**Coco / Malibu Beach Set**


This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **5 Degree Posterior Pelvic Tilt** pattern pieces ...

**Back Panel**  
**Front Panel**


Look at the sizing table and select your size based on your **Fullest Hips** Measurement.

Author: Stuart Anderson © Copyright 2026  
<https://www.patternschool.online>



Measurements are in Centimetres

|              |    |    |    |    |    |    |    |    |     |       |       |       |     |       |       |       |     |       |
|--------------|----|----|----|----|----|----|----|----|-----|-------|-------|-------|-----|-------|-------|-------|-----|-------|
| Underbust    | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82  | 84    | 86    | 88    | 90  | 92    | 94    | 96    | 98  | 100   |
| Waist        | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76  | 78    | 80    | 82    | 84  | 86    | 88    | 90    | 92  | 94    |
| Fullest Hips | 85 | 87 | 89 | 91 | 93 | 95 | 97 | 99 | 101 | 103.2 | 105.5 | 107.8 | 110 | 112.3 | 114.5 | 116.8 | 119 | 121.3 |




## Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **10 Degree Posterior Pelvic Tilt** pattern pieces ...

**Back Panel**  
**Front Panel**

Look at the sizing table and select your size based on your **Fullest Hips** Measurement.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

### Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

#### Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section to the front at the side seams and crotch. Repeat for lining. Place the fabric section inside the lining section, wrong sides together and pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

#### Coco Bandeau top

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly centre front (not including seam allowance), ending in a clean sharp vee. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to its lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will buldge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar tack over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try it on to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026  
<https://www.patternschool.online>

Measurements are in Centimetres

|              |    |    |    |    |    |    |    |    |     |       |       |       |     |       |       |       |     |       |
|--------------|----|----|----|----|----|----|----|----|-----|-------|-------|-------|-----|-------|-------|-------|-----|-------|
| Underbust    | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82  | 84    | 86    | 88    | 90  | 92    | 94    | 96    | 98  | 100   |
| Waist        | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76  | 78    | 80    | 82    | 84  | 86    | 88    | 90    | 92  | 94    |
| Fullest Hips | 85 | 87 | 89 | 91 | 93 | 95 | 97 | 99 | 101 | 103.2 | 105.5 | 107.8 | 110 | 112.3 | 114.5 | 116.8 | 119 | 121.3 |


# Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **B Cup** pattern pieces ...

**Upper Left Bandeau Panel, Centre Bandeau Panel, Lower Right Bandeau Panel & Upper Back Panel**


Look at the sizing table and select your size based on your **Under Bust & Bust** Measurements.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

| Underbust    | 66   | 68   | 70   | 72   | 74   | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    | 96    | 98    | 100   |
|--------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bust (B Cup) | 78   | 80   | 82   | 84   | 86   | 88    | 90    | 92    | 94    | 96    | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   |
| Bust (C Cup) | 80.5 | 82.5 | 84.5 | 86.5 | 88.5 | 90.5  | 92.5  | 94.5  | 96.5  | 98.5  | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 |
| Bust (D Cup) | 83   | 85   | 87   | 89   | 91   | 93    | 95    | 97    | 99    | 101   | 103   | 105   | 107   | 109   | 111   | 113   | 115   | 117   |
| Bust (E Cup) | 85.5 | 87.5 | 89.5 | 91.5 | 93.5 | 95.5  | 97.5  | 99.5  | 101.5 | 103.5 | 105.5 | 107.5 | 109.5 | 111.5 | 113.5 | 115.5 | 117.5 | 119.5 |
| Bust (F Cup) | 88   | 90   | 92   | 94   | 96   | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   | 114   | 116   | 118   | 120   | 122   |
| Bust (G Cup) | 90.5 | 92.5 | 94.5 | 96.5 | 98.5 | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 | 116.5 | 118.5 | 120.5 | 122.5 | 124.5 |
| Waist        | 60   | 62   | 64   | 66   | 68   | 70    | 72    | 74    | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    |
| Nape-Waist   | 37.4 | 37.6 | 37.8 | 38   | 38.2 | 38.5  | 38.7  | 38.9  | 39.1  | 39.3  | 39.5  | 39.7  | 39.9  | 40.1  | 40.3  | 40.5  | 40.8  | 41    |



## Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

## Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section of the front and the back fabric and lining at the side seams. Pin the fabric sections side by side together, together with the pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

## Coco Bandeau top


Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at each side seam. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to its lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will bulge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar back over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>






# Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **D Cup** pattern pieces ...

**Upper Left Bandeau Panel, Centre Bandeau Panel, Lower Right Bandeau Panel & Upper Back Panel**





Look at the sizing table and select your size based on your **Under Bust & Bust** Measurements.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

| Underbust    | 66   | 68   | 70   | 72   | 74   | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    | 96    | 98    | 100   |
|--------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bust (B Cup) | 78   | 80   | 82   | 84   | 86   | 88    | 90    | 92    | 94    | 96    | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   |
| Bust (C Cup) | 80.5 | 82.5 | 84.5 | 86.5 | 88.5 | 90.5  | 92.5  | 94.5  | 96.5  | 98.5  | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 |
| Bust (D Cup) | 83   | 85   | 87   | 89   | 91   | 93    | 95    | 97    | 99    | 101   | 103   | 105   | 107   | 109   | 111   | 113   | 115   | 117   |
| Bust (E Cup) | 85.5 | 87.5 | 89.5 | 91.5 | 93.5 | 95.5  | 97.5  | 99.5  | 101.5 | 103.5 | 105.5 | 107.5 | 109.5 | 111.5 | 113.5 | 115.5 | 117.5 | 119.5 |
| Bust (F Cup) | 88   | 90   | 92   | 94   | 96   | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   | 114   | 116   | 118   | 120   | 122   |
| Bust (G Cup) | 90.5 | 92.5 | 94.5 | 96.5 | 98.5 | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 | 116.5 | 118.5 | 120.5 | 122.5 | 124.5 |
| Waist        | 60   | 62   | 64   | 66   | 68   | 70    | 72    | 74    | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    |
| Nape-Waist   | 37.4 | 37.6 | 37.8 | 38   | 38.2 | 38.5  | 38.7  | 38.9  | 39.1  | 39.3  | 39.5  | 39.7  | 39.9  | 40.1  | 40.3  | 40.5  | 40.8  | 41    |



## Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

## Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section of the front panel up at each side seam. Repeat this for the back section of the fabric. Repeat for lining. You may want to insert a preformed cup using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

## Coco Bandeau top

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at each side seam. Repeat this for the upper left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to its lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will bulge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar back over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>




# Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **E Cup** pattern pieces ...

**Upper Left Bandeau Panel, Centre Bandeau Panel, Lower Right Bandeau Panel & Upper Back Panel**


Look at the sizing table and select your size based on your **Under Bust & Bust** Measurements.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

| Underbust    | 66   | 68   | 70   | 72   | 74   | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    | 96    | 98    | 100   |
|--------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bust (B Cup) | 78   | 80   | 82   | 84   | 86   | 88    | 90    | 92    | 94    | 96    | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   |
| Bust (C Cup) | 80.5 | 82.5 | 84.5 | 86.5 | 88.5 | 90.5  | 92.5  | 94.5  | 96.5  | 98.5  | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 |
| Bust (D Cup) | 83   | 85   | 87   | 89   | 91   | 93    | 95    | 97    | 99    | 101   | 103   | 105   | 107   | 109   | 111   | 113   | 115   | 117   |
| Bust (E Cup) | 85.5 | 87.5 | 89.5 | 91.5 | 93.5 | 95.5  | 97.5  | 99.5  | 101.5 | 103.5 | 105.5 | 107.5 | 109.5 | 111.5 | 113.5 | 115.5 | 117.5 | 119.5 |
| Bust (F Cup) | 88   | 90   | 92   | 94   | 96   | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   | 114   | 116   | 118   | 120   | 122   |
| Bust (G Cup) | 90.5 | 92.5 | 94.5 | 96.5 | 98.5 | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 | 116.5 | 118.5 | 120.5 | 122.5 | 124.5 |
| Waist        | 60   | 62   | 64   | 66   | 68   | 70    | 72    | 74    | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    |
| Nape-Waist   | 37.4 | 37.6 | 37.8 | 38   | 38.2 | 38.5  | 38.7  | 38.9  | 39.1  | 39.3  | 39.5  | 39.7  | 39.9  | 40.1  | 40.3  | 40.5  | 40.8  | 41    |



## Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

### Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section of the front at the centre back seam. Repeat for lining. Pin the fabric sections to the lining on the side seams, together pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

### Coco Bandeau top


Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly sharp angle. Repeat this for the left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to it's lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will bulge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar back over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try from to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>




# Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **F Cup** pattern pieces ...

**Upper Left Bandeau Panel, Centre Bandeau Panel, Lower Right Bandeau Panel & Upper Back Panel**


Look at the sizing table and select your size based on your **Under Bust & Bust** Measurements.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

| Underbust    | 66   | 68   | 70   | 72   | 74   | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    | 96    | 98    | 100   |
|--------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bust (B Cup) | 78   | 80   | 82   | 84   | 86   | 88    | 90    | 92    | 94    | 96    | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   |
| Bust (C Cup) | 80.5 | 82.5 | 84.5 | 86.5 | 88.5 | 90.5  | 92.5  | 94.5  | 96.5  | 98.5  | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 |
| Bust (D Cup) | 83   | 85   | 87   | 89   | 91   | 93    | 95    | 97    | 99    | 101   | 103   | 105   | 107   | 109   | 111   | 113   | 115   | 117   |
| Bust (E Cup) | 85.5 | 87.5 | 89.5 | 91.5 | 93.5 | 95.5  | 97.5  | 99.5  | 101.5 | 103.5 | 105.5 | 107.5 | 109.5 | 111.5 | 113.5 | 115.5 | 117.5 | 119.5 |
| Bust (F Cup) | 88   | 90   | 92   | 94   | 96   | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   | 114   | 116   | 118   | 120   | 122   |
| Bust (G Cup) | 90.5 | 92.5 | 94.5 | 96.5 | 98.5 | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 | 116.5 | 118.5 | 120.5 | 122.5 | 124.5 |
| Waist        | 60   | 62   | 64   | 66   | 68   | 70    | 72    | 74    | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    |
| Nape-Waist   | 37.4 | 37.6 | 37.8 | 38   | 38.2 | 38.5  | 38.7  | 38.9  | 39.1  | 39.3  | 39.5  | 39.7  | 39.9  | 40.1  | 40.3  | 40.5  | 40.8  | 41    |



### Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvedge to selvedge. Check each panel lines up against its counterpart properly by checking the notches where present.

### Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section in the front at the elastic start line. Repeat this for the upper and lower sections inside the lining section, serge together the pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

### Coco Bandeau top


Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at elastic start line. Repeat this for the upper and lower panels. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to it's lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will bulge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar back over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>




# Coco / Malibu Beach Set

This cute set was designed for late teens to young adult. The concept was high cut leg lines, cheeky back, narrowing front band and a light top to balance the bottoms ... with specifically no tie-strings!

This page contains the **G Cup** pattern pieces ...

**Upper Left Bandeau Panel, Centre Bandeau Panel, Lower Right Bandeau Panel & Upper Back Panel**


Look at the sizing table and select your size based on your **Under Bust & Bust** Measurements.



Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

Measurements are in Centimetres

| Underbust    | 66   | 68   | 70   | 72   | 74   | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    | 96    | 98    | 100   |
|--------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Bust (B Cup) | 78   | 80   | 82   | 84   | 86   | 88    | 90    | 92    | 94    | 96    | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   |
| Bust (C Cup) | 80.5 | 82.5 | 84.5 | 86.5 | 88.5 | 90.5  | 92.5  | 94.5  | 96.5  | 98.5  | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 |
| Bust (D Cup) | 83   | 85   | 87   | 89   | 91   | 93    | 95    | 97    | 99    | 101   | 103   | 105   | 107   | 109   | 111   | 113   | 115   | 117   |
| Bust (E Cup) | 85.5 | 87.5 | 89.5 | 91.5 | 93.5 | 95.5  | 97.5  | 99.5  | 101.5 | 103.5 | 105.5 | 107.5 | 109.5 | 111.5 | 113.5 | 115.5 | 117.5 | 119.5 |
| Bust (F Cup) | 88   | 90   | 92   | 94   | 96   | 98    | 100   | 102   | 104   | 106   | 108   | 110   | 112   | 114   | 116   | 118   | 120   | 122   |
| Bust (G Cup) | 90.5 | 92.5 | 94.5 | 96.5 | 98.5 | 100.5 | 102.5 | 104.5 | 106.5 | 108.5 | 110.5 | 112.5 | 114.5 | 116.5 | 118.5 | 120.5 | 122.5 | 124.5 |
| Waist        | 60   | 62   | 64   | 66   | 68   | 70    | 72    | 74    | 76    | 78    | 80    | 82    | 84    | 86    | 88    | 90    | 92    | 94    |
| Nape-Waist   | 37.4 | 37.6 | 37.8 | 38   | 38.2 | 38.5  | 38.7  | 38.9  | 39.1  | 39.3  | 39.5  | 39.7  | 39.9  | 40.1  | 40.3  | 40.5  | 40.8  | 41    |



## Pattern Notes

Seam allowances, where they exist, are shaded in grey. The direction of greatest stretch shown on the pattern must align with selvage to selvage. Check each panel lines up against its counterpart properly by checking the notches where present.

## Malibu Bottoms

Serge the two back panels together at the centre back seam. Repeat for lining. Serge the back section of the front and the back fabric and lining at the side seams. Pin the fabric sections inside the lining sections together along the pin or baste in place. Apply 10mm elastic to the lining side along all edges using a serger, reducing the elastic length 4-5% as you sew. Turn right side out, fold under the elastic and top stitch using a cover stitch or zig zag.

## Coco Bandeau top

Serge the lower right bandeau panel to the centre bandeau panel, VERY carefully lining up the notches. The lower panel should end up at exactly the same seam line as the upper panel. Pin the panel together. Repeat this for the other left bandeau panel. Repeat for lining. You may want to insert a preformed cup between the fabric and liner (optional) so choose one that conforms well to your shape and trim it to fit the bandeau's lining, not including the elastic.

Pin or baste the bandeau front to its lining wrong sides together. Line up the back fabric and lining at the side seams, sandwiching the front between each of the back panels. Serge the side seam. Repeat for other side. Apply 10mm elastic to the lining side of the upper and lower bandeau edges, holding the vee straight as you elasticate. Fold under the elastic and top stitch using a cover stitch or zig zag.

Now we want to rebuild that vee ... if you fold the bandeau along centre front (right side together, lining side out) the elastic will bulge a little ... press it flat and sew a dart in it that lines up with the centre front. Trim the dart excess, turn to the right side and bar back over the dart. Now you have a nice clean vee!

Lastly we insert a 25mm (1 inch) bikini clip in the centre back. You have a 20mm seam allowance here so you can adjust for fit. A bandeau needs to be relatively tight but try to get the perfect position. Stitch down the seam allowance with a straight stitch on a zipper foot, trim the excess.

Author: Stuart Anderson © Copyright 2026 <https://www.patternschool.online>

