

	Underbust	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
Bust (B Cup)	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112	112
Bust (C Cup)	80.5	82.5	84.5	86.5	88.5	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5	114.5
Bust (D Cup)	83	85	87	89	91	93	95	97	99	101	103	105	107	109	111	113	115	117	117
Bust (E Cup)	85.5	87.5	89.5	91.5	93.5	95.5	97.5	99.5	101.5	103.5	105.5	107.5	109.5	111.5	113.5	115.5	117.5	119.5	119.5
Bust (F Cup)	88	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120	122	122
Bust (G Cup)	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5	116.5	118.5	120.5	122.5	124.5	124.5
Waist	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94	94
Nape-Waist	37.4	37.6	37.8	38	38.2	38.5	38.7	38.9	39.1	39.3	39.5	39.7	39.9	40.1	40.3	40.5	40.8	41	41


Nix Bikini Top

This is a simple two panel triangle bikini top with a 25mm waist band ... it's designed to pair with the Zahra bikini bottom.

This page contains the **B Cup** pattern pieces ...

Upper Triangle Panel, Lower Triangle Panel & Under Bust Band

Look at the sizing table and select your size based on your **Under Bust** and **Bust** measurements. Don't guess based on your bra cup size!



Pattern design by Stuart Anderson © Copyright 2026 for <https://www.patternschool.online>

Pattern Notes

Pattern pieces should be placed on the fabric to line up the direction of greatest stretch (typically selvedge to selvedge). Seam allowances are shaded in grey around the outside of the pattern ... you stitch along the inside line and cut off any excess with your over-locker.

Step 1: Serge the fabric Upper Triangle to the Lower Triangle Panel along the princess seam, carefully lining up the notches. Repeat for the lining. Repeat for the opposite side.

Step 2: Pin each fabric triangle to the lining triangle, wrong sides together. Apply 10mm flat rubber elastic to each side of the bikini top on the lining side with your serger reducing by around 4% as you sew.

Step 3: create two tie strings around 60cm each in length (you can trim later if they're too long) with enclosed elastic. Attatch the one tie string to the top of the right side of the triangle with a straight stitch. Repeat for the other side.

Step 4: Fold under the seam allowance of the tie string and catch it up by folding under the elastic and top stitching with a zig zag or cover-stitch. Top stitch the tie string seam allowance with another straight stitch.

Step 5: Cut a length of 25mm soft woven elastic the same length as your under bust band. Fold the under bust band in half along its length and serge the long edge, leaving a gap to insert the triangles between the notches. I recommend using a strip of ribbon between the two centre front notches to stop it opening between the bust.

Step 6: Snip the notches and turn right side out. Pin the right side (the front) of the triangles to the right side of the under bust band, between the notches by lifting out .the seam allowance tabs. Serge the base of the triangles to the under bust band. Turn right side out and push the seam allowance into the band. Hand stitch the back seam allowance in a zig zag fashion so it still stretches.

Step 7: Insert the elastic and try on the garment with a 25mm bikini clip at centre back ... adjust to the desired length and top stitch the fold under seam allowance using a straight stitch (a zipper foot makes this easier). Snip off the excess seam allowance.

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

Nix Bikini Top Upper Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

B Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Nix Bikini Top Lower Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

B Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Nix Bikini Top Under Bust Band

Cut 1 of Fabric
(on Fold)

B Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Centre Front

Underbust	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
Bust (B Cup)	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112
Bust (C Cup)	80.5	82.5	84.5	86.5	88.5	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5
Bust (D Cup)	83	85	87	89	91	93	95	97	99	101	103	105	107	109	111	113	115	117
Bust (E Cup)	85.5	87.5	89.5	91.5	93.5	95.5	97.5	99.5	101.5	103.5	105.5	107.5	109.5	111.5	113.5	115.5	117.5	119.5
Bust (F Cup)	88	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120	122
Bust (G Cup)	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5	116.5	118.5	120.5	122.5	124.5
Waist	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
Nape-Waist	37.4	37.6	37.8	38	38.2	38.5	38.7	38.9	39.1	39.3	39.5	39.7	39.9	40.1	40.3	40.5	40.8	41


Nix Bikini Top

This is a simple two panel triangle bikini top with a 25mm waist band ... it's designed to pair with the Zahra bikini bottom.

This page contains the **C Cup** pattern pieces ...

Upper Triangle Panel, Lower Triangle Panel & Under Bust Band

Look at the sizing table and select your size based on your **Under Bust** and **Bust** measurements. Don't guess based on your bra cup size!



Pattern design by Stuart Anderson © Copyright 2026 for <https://www.patternschool.online>

Pattern Notes

Pattern pieces should be placed on the fabric to line up the direction of greatest stretch (typically selvedge to selvedge). Seam allowances are shaded in grey around the outside of the pattern ... you stitch along the inside line and cut off any excess with your over-locker.

Step 1: Serge the fabric Upper Triangle to the Lower Triangle Panel along the princess seam, carefully lining up the notches. Repeat for the lining. Repeat for the opposite side.

Step 2: Pin each fabric triangle to the lining triangle, wrong sides together. Apply 10mm flat rubber elastic to each side of the bikini top on the lining side with your serger reducing by around 4% as you sew.





Step 3: create two tie strings around 60cm each in length (you can trim later if they're too long) with enclosed elastic. Attatch the one tie string to the top of the right side of the triangle with a straight stitch. Repeat for the other side.

Step 4: Fold under the seam allowance of the tie string and catch it up by folding under the elastic and top stitching with a zig zag or cover-stitch. Top stitch the tie string seam allowance with another straight stitch.

Step 5: Cut a length of 25mm soft woven elastic the same length as your under bust band. Fold the under bust band in half along its length and serge the long edge, leaving a gap to insert the triangles between the notches. I recommend using a strip of ribbon between the two centre front notches to stop it opening between the bust.

Step 6: Snip the notches and turn right side out. Pin the right side (the front) of the triangles to the right side of the under bust band, between the notches by lifting out .the seam allowance tabs. Serge the base of the triangles to the under bust band. Turn right side out and push the seam allowance into the band. Hand stitch the back seam allowance in a zig zag fashion so it still stretches.

Step 7: Insert the elastic and try on the garment with a 25mm bikini clip at centre back ... adjust to the desired length and top stitch the fold under seam allowance using a straight stitch (a zipper foot makes this easier). Snip off the excess seam allowance.



Underbust	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
Bust (B Cup)	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112
Bust (C Cup)	80.5	82.5	84.5	86.5	88.5	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5
Bust (D Cup)	83	85	87	89	91	93	95	97	99	101	103	105	107	109	111	113	115	117
Bust (E Cup)	85.5	87.5	89.5	91.5	93.5	95.5	97.5	99.5	101.5	103.5	105.5	107.5	109.5	111.5	113.5	115.5	117.5	119.5
Bust (F Cup)	88	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120	122
Bust (G Cup)	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5	116.5	118.5	120.5	122.5	124.5
Waist	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
Nape-Waist	37.4	37.6	37.8	38	38.2	38.5	38.7	38.9	39.1	39.3	39.5	39.7	39.9	40.1	40.3	40.5	40.8	41


Nix Bikini Top

This is a simple two panel triangle bikini top with a 25mm waist band ... it's designed to pair with the Zahra bikini bottom.

This page contains the **D Cup** pattern pieces ...

Upper Triangle Panel, Lower Triangle Panel & Under Bust Band

Look at the sizing table and select your size based on your **Under Bust** and **Bust** measurements. Don't guess based on your bra cup size!



Pattern design by Stuart Anderson © Copyright 2026 for <https://www.patternschool.online>

Pattern Notes

Pattern pieces should be placed on the fabric to line up the direction of greatest stretch (typically selvedge to selvedge). Seam allowances are shaded in grey around the outside of the pattern ... you stitch along the inside line and cut off any excess with your over-locker.

Step 1: Serge the fabric Upper Triangle to the Lower Triangle Panel along the princess seam, carefully lining up the notches. Repeat for the lining. Repeat for the opposite side.

Step 2: Pin each fabric triangle to the lining triangle, wrong sides together. Apply 10mm flat rubber elastic to each side of the bikini top on the lining side with your serger reducing by around 4% as you sew.

Step 3: create two tie strings around 60cm each in length (you can trim later if they're too long) with enclosed elastic. Attatch the one tie string to the top of the right side of the triangle with a straight stitch. Repeat for the other side.

Step 4: Fold under the seam allowance of the tie string and catch it up by folding under the elastic and top stitching with a zig zag or cover-stitch. Top stitch the tie string seam allowance with another straight stitch.

Step 5: Cut a length of 25mm soft woven elastic the same length as your under bust band. Fold the under bust band in half along its length and serge the long edge, leaving a gap to insert the triangles between the notches. I recommend using a strip of ribbon between the two centre front notches to stop it opening between the bust.

Step 6: Snip the notches and turn right side out. Pin the right side (the front) of the triangles to the right side of the under bust band, between the notches by lifting out .the seam allowance tabs. Serge the base of the triangles to the under bust band. Turn right side out and push the seam allowance into the band. Hand stitch the back seam allowance in a zig zag fashion so it still stretches.

Step 7: Insert the elastic and try on the garment with a 25mm bikini clip at centre back ... adjust to the desired length and top stitch the fold under seam allowance using a straight stitch (a zipper foot makes this easier). Snip off the excess seam allowance.

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

Nix Bikini Top Upper Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

D Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Nix Bikini Top Lower Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

D Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Nix Bikini Top Under Bust Band

Cut 1 of Fabric
(on Fold)

D Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Centre Front

Underbust	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
Bust (B Cup)	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112
Bust (C Cup)	80.5	82.5	84.5	86.5	88.5	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5
Bust (D Cup)	83	85	87	89	91	93	95	97	99	101	103	105	107	109	111	113	115	117
Bust (E Cup)	85.5	87.5	89.5	91.5	93.5	95.5	97.5	99.5	101.5	103.5	105.5	107.5	109.5	111.5	113.5	115.5	117.5	119.5
Bust (F Cup)	88	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120	122
Bust (G Cup)	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5	116.5	118.5	120.5	122.5	124.5
Waist	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
Nape-Waist	37.4	37.6	37.8	38	38.2	38.5	38.7	38.9	39.1	39.3	39.5	39.7	39.9	40.1	40.3	40.5	40.8	41


Nix Bikini Top

This is a simple two panel triangle bikini top with a 25mm waist band ... it's designed to pair with the Zahra bikini bottom.

This page contains the **E Cup** pattern pieces ...

Upper Triangle Panel, Lower Triangle Panel & Under Bust Band

Look at the sizing table and select your size based on your **Under Bust** and **Bust** measurements. Don't guess based on your bra cup size!



Pattern design by Stuart Anderson © Copyright 2026 for <https://www.patternschool.online>

Pattern Notes

Pattern pieces should be placed on the fabric to line up the direction of greatest stretch (typically selvedge to selvedge). Seam allowances are shaded in grey around the outside of the pattern ... you stitch along the inside line and cut off any excess with your over-locker.

Step 1: Serge the fabric Upper Triangle to the Lower Triangle Panel along the princess seam, carefully lining up the notches. Repeat for the lining. Repeat for the opposite side.

Step 2: Pin each fabric triangle to the lining triangle, wrong sides together. Apply 10mm flat rubber elastic to each side of the bikini top on the lining side with your serger reducing by around 4% as you sew.

Step 3: create two tie strings around 60cm each in length (you can trim later if they're too long) with enclosed elastic. Attatch the one tie string to the top of the right side of the triangle with a straight stitch. Repeat for the other side.

Step 4: Fold under the seam allowance of the tie string and catch it up by folding under the elastic and top stitching with a zig zag or cover-stitch. Top stitch the tie string seam allowance with another straight stitch.

Step 5: Cut a length of 25mm soft woven elastic the same length as your under bust band. Fold the under bust band in half along its length and serge the long edge, leaving a gap to insert the triangles between the notches. I recommend using a strip of ribbon between the two centre front notches to stop it opening between the bust.

Step 6: Snip the notches and turn right side out. Pin the right side (the front) of the triangles to the right side of the under bust band, between the notches by lifting out .the seam allowance tabs. Serge the base of the triangles to the under bust band. Turn right side out and push the seam allowance into the band. Hand stitch the back seam allowance in a zig zag fashion so it still stretches.

Step 7: Insert the elastic and try on the garment with a 25mm bikini clip at centre back ... adjust to the desired length and top stitch the fold under seam allowance using a straight stitch (a zipper foot makes this easier). Snip off the excess seam allowance.

4 Inch Printer Test Scale

10cm Centimeter Printer Test Scale

10cm Centimeter Printer Test Scale

4 Inch Printer Test Scale

Nix Bikini Top Upper Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

E Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Nix Bikini Top Lower Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

E Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Nix Bikini Top Under Bust Band

Cut 1 of Fabric
(on Fold)

E Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>

← Greatest Stretch →

Centre Front

Underbust	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
Bust (B Cup)	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112
Bust (C Cup)	80.5	82.5	84.5	86.5	88.5	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5
Bust (D Cup)	83	85	87	89	91	93	95	97	99	101	103	105	107	109	111	113	115	117
Bust (E Cup)	85.5	87.5	89.5	91.5	93.5	95.5	97.5	99.5	101.5	103.5	105.5	107.5	109.5	111.5	113.5	115.5	117.5	119.5
Bust (F Cup)	88	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120	122
Bust (G Cup)	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5	116.5	118.5	120.5	122.5	124.5
Waist	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
Nape-Waist	37.4	37.6	37.8	38	38.2	38.5	38.7	38.9	39.1	39.3	39.5	39.7	39.9	40.1	40.3	40.5	40.8	41


Nix Bikini Top

This is a simple two panel triangle bikini top with a 25mm waist band ... it's designed to pair with the Zahra bikini bottom.

This page contains the **F Cup** pattern pieces ...

Upper Triangle Panel, Lower Triangle Panel & Under Bust Band

Look at the sizing table and select your size based on your **Under Bust** and **Bust** measurements. Don't guess based on your bra cup size!



Pattern design by Stuart Anderson © Copyright 2026 for <https://www.patternschool.online>

Pattern Notes

Pattern pieces should be placed on the fabric to line up the direction of greatest stretch (typically selvedge to selvedge). Seam allowances are shaded in grey around the outside of the pattern ... you stitch along the inside line and cut off any excess with your over-locker.

Step 1: Serge the fabric Upper Triangle to the Lower Triangle Panel along the princess seam, carefully lining up the notches. Repeat for the lining. Repeat for the opposite side.

Step 2: Pin each fabric triangle to the lining triangle, wrong sides together. Apply 10mm flat rubber elastic to each side of the bikini top on the lining side with your serger reducing by around 4% as you sew.





Step 3: create two tie strings around 60cm each in length (you can trim later if they're too long) with enclosed elastic. Attatch the one tie string to the top of the right side of the triangle with a straight stitch. Repeat for the other side.

Step 4: Fold under the seam allowance of the tie string and catch it up by folding under the elastic and top stitching with a zig zag or cover-stitch. Top stitch the tie string seam allowance with another straight stitch.

Step 5: Cut a length of 25mm soft woven elastic the same length as your under bust band. Fold the under bust band in half along its length and serge the long edge, leaving a gap to insert the triangles between the notches. I recommend using a strip of ribbon between the two centre front notches to stop it opening between the bust.

Step 6: Snip the notches and turn right side out. Pin the right side (the front) of the triangles to the right side of the under bust band, between the notches by lifting out .the seam allowance tabs. Serge the base of the triangles to the under bust band. Turn right side out and push the seam allowance into the band. Hand stitch the back seam allowance in a zig zag fashion so it still stretches.

Step 7: Insert the elastic and try on the garment with a 25mm bikini clip at centre back ... adjust to the desired length and top stitch the fold under seam allowance using a straight stitch (a zipper foot makes this easier). Snip off the excess seam allowance.



Underbust	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
Bust (B Cup)	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112
Bust (C Cup)	80.5	82.5	84.5	86.5	88.5	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5
Bust (D Cup)	83	85	87	89	91	93	95	97	99	101	103	105	107	109	111	113	115	117
Bust (E Cup)	85.5	87.5	89.5	91.5	93.5	95.5	97.5	99.5	101.5	103.5	105.5	107.5	109.5	111.5	113.5	115.5	117.5	119.5
Bust (F Cup)	88	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120	122
Bust (G Cup)	90.5	92.5	94.5	96.5	98.5	100.5	102.5	104.5	106.5	108.5	110.5	112.5	114.5	116.5	118.5	120.5	122.5	124.5
Waist	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
Nape-Waist	37.4	37.6	37.8	38	38.2	38.5	38.7	38.9	39.1	39.3	39.5	39.7	39.9	40.1	40.3	40.5	40.8	41


Nix Bikini Top

This is a simple two panel triangle bikini top with a 25mm waist band ... it's designed to pair with the Zahra bikini bottom.

This page contains the **G Cup** pattern pieces ...

Upper Triangle Panel, Lower Triangle Panel & Under Bust Band

Look at the sizing table and select your size based on your **Under Bust** and **Bust** measurements. Don't guess based on your bra cup size!



Pattern design by Stuart Anderson © Copyright 2026 for <https://www.patternschool.online>

Pattern Notes

Pattern pieces should be placed on the fabric to line up the direction of greatest stretch (typically selvedge to selvedge). Seam allowances are shaded in grey around the outside of the pattern ... you stitch along the inside line and cut off any excess with your over-locker.

Step 1: Serge the fabric Upper Triangle to the Lower Triangle Panel along the princess seam, carefully lining up the notches. Repeat for the lining. Repeat for the opposite side.

Step 2: Pin each fabric triangle to the lining triangle, wrong sides together. Apply 10mm flat rubber elastic to each side of the bikini top on the lining side with your serger reducing by around 4% as you sew.

Step 3: create two tie strings around 60cm each in length (you can trim later if they're too long) with enclosed elastic. Attatch the one tie string to the top of the right side of the triangle with a straight stitch. Repeat for the other side.


Step 4: Fold under the seam allowance of the tie string and catch it up by folding under the elastic and top stitching with a zig zag or cover-stitch. Top stitch the tie string seam allowance with another straight stitch.

Step 5: Cut a length of 25mm soft woven elastic the same length as your under bust band. Fold the under bust band in half along its length and serge the long edge, leaving a gap to insert the triangles between the notches. I recommend using a strip of ribbon between the two centre front notches to stop it opening between the bust.


Step 6: Snip the notches and turn right side out. Pin the right side (the front) of the triangles to the right side of the under bust band, between the notches by lifting out .the seam allowance tabs. Serge the base of the triangles to the under bust band. Turn right side out and push the seam allowance into the band. Hand stitch the back seam allowance in a zig zag fashion so it still stretches.

Step 7: Insert the elastic and try on the garment with a 25mm bikini clip at centre back ... adjust to the desired length and top stitch the fold under seam allowance using a straight stitch (a zipper foot makes this easier). Snip off the excess seam allowance.

4 Inch Printer Test Scale



10cm Centimeter Printer Test Scale



10cm Centimeter Printer Test Scale



4 Inch Printer Test Scale




Nix Bikini Top Upper Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

G Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>



Nix Bikini Top Lower Triangle Panel

Cut 2 of Fabric & Lining
(Mirrored)

G Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>



Nix Bikini Top Under Bust Band

Cut 1 of Fabric
(on Fold)

G Cup
12% Horizontal Negative Ease
Revision: 18th May 2026

Pattern design by Stuart Anderson © Copyright 2026
for <https://www.patternschool.online>



Centre Front

